

Table 1.9
SEER Incidence and U.S. Mortality Trends by Primary Cancer Site and Sex
Whites, 2002-2011

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
All Sites	-0.6*	-1.2*	-0.2			
Oral Cavity & Pharynx:						
Lip	0.8*	0.8*	0.4			
Tongue	-3.7*	-4.3*	-2.1*			
Salivary gland	2.1*	2.4*	1.3*			
Floor of mouth	0.9	0.7	0.7			
Gum & other oral cavity	-2.5*	-3.0*	-1.3			
Nasopharynx	-0.4	-0.7	0.0			
Tonsil	-0.5	-0.8	-0.2			
Oropharynx	3.8*	4.0*	2.5*			
Hypopharynx	3.1*	3.4*	1.8			
Other oral cavity & pharynx	-2.1*	-2.4*	-2.0*			
	-0.5	0.3	-3.3			
Digestive System:						
Esophagus	-1.2*	-1.2*	-1.3*			
Stomach	-0.3	-0.1	-1.9*			
Small intestine	-1.0*	-1.2*	-1.0*			
Colon & Rectum:	1.9*	1.6*	2.3*			
Colon	-2.9*	-3.2*	-2.7*			
Rectum	-3.2*	-3.5*	-3.0*			
Anus, anal canal & anorectum	-2.3*	-2.6*	-2.1*			
Liver & intrahepatic	2.0*	1.0	2.7*			
bile duct	4.1*	4.3*	3.1*			
Gallbladder	-0.1	-0.3	0.0			
Other biliary	0.9*	1.4*	0.2			
Pancreas	0.9*	1.0*	0.7*			
Retroperitoneum	-1.4	-1.6	-1.4			
Peritoneum, omentum &	-1.1	0.7	-1.1			
mesentery	1.4*	1.7*	1.1			
Other digestive system						
Respiratory System:						
Nose, nasal cavity &	-1.6*	-2.2*	-0.9*			
middle ear	-0.1	0.0	-0.6			
Larynx	-1.6*	-1.8*	-1.5*			
Lung & bronchus	-1.6*	-2.3*	-0.9*			
Pleura	-3.4*	-1.8	-			
Trachea & other	-1.2	-1.3	-1.2			
respiratory organs						
Bones & joints	0.3	0.4	0.1			
Soft tissue (including heart)	0.9*	1.0*	0.7			
Skin (excl. basal & squamous):						
Melanoma of the skin	1.3*	1.6*	0.9			
Other non-epithelial skin	1.3*	1.6*	0.9			
	1.3*	1.9*	0.2			
Breast	-0.5	1.8*	-0.3			
Breast (<i>in situ</i>)	0.6	2.3	0.8			

The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population
(19 age groups - Census P25-1130).

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

* The APC is significantly different from zero ($p<.05$).

- Statistic could not be calculated. Trend based on less than 10 cases for at least one year within the time interval.

Table 1.9 - continued
 SEER Incidence and U.S. Mortality Trends by Primary Cancer Site and Sex
 Whites, 2002-2011

Site	Incidence ^a			US Mortality ^b		
	Total APC	Males APC	Females APC	Total APC	Males APC	Females APC
Female Genital System:						
Cervix uteri	-0.1	-	0.1			
Corpus uteri	-1.3*	-	-1.2*			
Uterus, NOS	0.8*	-	1.0*			
Ovary ^c	1.9	-	2.5			
Vagina	-1.8*	-	-1.6*			
Vulva	0.7	-	1.1*			
Other female genital system	1.2*	-	1.4*			
6.3*	-	6.4*				
Male Genital System:	-2.0*	-2.5*	-			
Prostate	-2.2*	-2.6*	-			
Testis	0.6*	0.6*	-			
Penis	0.9	0.4	-			
Other male genital system	0.6	0.3	-			
Urinary System:	0.3	0.0	0.4			
Urinary bladder	-0.7*	-0.8*	-1.1*			
Kidney & renal pelvis	1.9*	1.8*	1.7*			
Ureter	0.0	-0.1	-0.2			
Other urinary system	2.4*	1.9	3.2			
Eye & Orbit	-0.9*	-1.4*	-0.4			
Brain & Nervous System: ^d	-0.5	-0.5	-0.7*			
Brain	-0.5	-0.5	-0.6*			
Cranial nerves & other nervous system	-1.3	-1.0	-1.6			
Endocrine System:	5.5*	4.7*	5.8*			
Thyroid	5.8*	5.4*	6.0*			
Other endocrine & thymus	0.3	-0.3	0.8			
Lymphoma:	-0.2	-0.1	-0.4			
Hodgkin lymphoma	-0.5	-0.4	-0.7			
Non-Hodgkin lymphoma	-0.2	-0.1	-0.3			
Myeloma	0.6*	0.7*	0.4			
Leukemia:	0.0	-0.3	0.2			
Lymphocytic:	-0.5	-0.9*	0.0			
Acute lymphocytic	1.5*	0.9	2.4*			
Chronic lymphocytic	-1.1*	-1.4*	-1.0			
Other lymphocytic	-1.7	-1.5	-2.4			
Myeloid & Monocytic:	1.0*	0.9*	0.9*			
Acute myeloid	1.4*	0.9	1.7*			
Chronic myeloid	0.9*	1.1*	0.4			
Acute monocytic	-2.6	-1.2	-4.3*			
Other myeloid & monocytic	-1.0	1.3	-3.9*			
Other leukemia:	-3.9*	-4.4*	-3.4*			
Other acute leukemia	-4.3*	-4.6*	-4.3*			
A leukemic, subleukemic & NOS	-3.5*	-4.3*	-2.9			
Kaposi Sarcoma ^e	-3.7*	-3.9*	-2.3			
Mesothelioma ^e	-0.9	-1.2	-0.3			
Ill-defined & unspecified	-2.7*	-2.4*	-3.1*			

The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population
 (19 age groups - Census P25-1130).

^a SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^c Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

^d Due to coding changes, Brain & Nervous System mortality are no longer shown separately.

^e Trend not shown for mortality. Category did not exist in mortality coding until 1999.

* The APC is significantly different from zero ($p<.05$).

- Statistic could not be calculated. Trend based on less than 10 cases for at least one year within the time interval.